

Rail Delivery Group
First Floor North,
1 Puddle Dock, L
London
EC4V3DS

Email: NationalRailDatafeeds@raildeliverygroup.com

Rail Delivery Group NationalRail - Darwin

Push Ports Push Port Data Interface Specification

Document Ref: P75301004

REVISION HISTORY

LOG OF CHANGES				
Revision	Date	ECN No.	Author	Modification
	24/02/2026			Previous revision history truncated
Issue 18	30/03/16			Added rsid to Schedule elements (schema v14)
Issue 19	17/01/17			Split the document to separate the data specification from the communication specification.
Issue 20	21/06/17			Added support for Train Formation and Loading updates (v15).
Issue 21	01/11/17			Added support for Train Formation Toilet Availability data (v16)
Issue 22	19/05/22			Added to support V17 of RTTI Data schema and V4 of Reference Data schema
Issue 23	05/05/2023			Added support for uncertainty (v17)
Issue 24	08/08/2023			Added support for location level disruption reason (v17) and diversion (v18)
Issue 25	17/01/2023			Section 10 added: Changes between Pushports V17 and V18
Issue 26	24/02/2026			Darwin Evolution and Station Information (v19)
Issue 27	13/07/26			Rebranded as RDG + Note about Live Lifts

TABLE OF CONTENTS

1.	INTRODUCTION	6
2.	COMMUNICATION	6
2.1	Connection	6
2.2	Amazon S3	7
2.3	Availability	7
3.	PUSH PORT DATA	8
3.1	Darwin Status Messages	8
3.2	Snapshots	10
3.3	Updates	10
3.3.1	Schedule Information (the 'Schedule' element)	11
3.3.2	Association Information (the 'association' element)	16
3.3.3	Train Formation Information (the 'scheduleFormations' element)	18
3.3.4	Actual and Forecast Information (the 'TS' element)	18
3.3.5	Train Loading Information (the 'formationLoading' element)	21
3.3.6	Service Loading (the 'serviceLoading' element)	22
3.3.7	Train Order (the 'trainOrder' element)	22
3.3.8	Station Messages and Train Table Suppression Status (the 'OW' element)	23
3.3.9	Train Alerts (the 'trainAlert' element)	25
3.3.10	Tracking ID Corrections (the 'trackingID' element)	26
3.3.11	Alarms (the 'alarm' element)	26
3.3.12	Station Information (the 'stationInformation' element)	27
3.4	Compatibility	28
3.5	Updates with Release 4.9	28
3.6	Changes between Pushports V17 and V18	28
3.6.1	New nodes and attributes:	29
3.6.2	Example v18 Pushports message showing a diversion:	29
4.	TIMETABLE FILES	31
4.1	Timetable Files available from Amazon S3	31
4.2	Timetable File Formats	32
4.2.1	Timetable Data	33
4.2.2	Timetable Reference Data	34
5.	EXAMPLE DARWIN RESPONSES	36
5.1	Darwin Responses	36
5.1.1	Darwin Data Response Common Parts	36
5.1.2	Snapshots	36
5.1.3	Updates	37
6.	XML SCHEMAS	41
6.1	XSD Files	41

6.2	Schema Versioning	41
7.	DATA VOLUME	42
8.	ABBREVIATIONS AND GLOSSARY	43

REFERENCE DOCUMENTS

Ref.	Document Reference	Document Title
[Ref. 1]	N/A	Common Interface File, End User Specification, Issue 29, Mar. 2015. Issued by Network Rail.
[Ref. 2]	WA063A01623	Push Port Socket Interface Specification
[Ref. 3]	WA063A01624	Push Port ActiveMQ Interface Specification

1. INTRODUCTION

Push Ports are provided to meet the needs of external systems that deal with high volumes of enquires and that require rapid access to Darwin (RTTI) information. Darwin provides a “push” service of information in real-time that allows the client system to hold a copy of the Darwin database.

This document addresses the Data Interface Specification for the retrieval of information via the Darwin (RTTI) Push Ports Interface. The low-level communications interface to the Push Ports can vary, and is documented in specifications *WA063A01623 Push Port Socket Interface Specification* and *WA063A01624 Push Port ActiveMQ Interface Specification*. Even though the Push Ports are accessed by different mechanisms, the data received by a client is the same and is documented below.

Darwin makes available via the Push Port creation of, and changes to, train schedule records, together with train running predictions made by Darwin. Note that predictions and changes to schedules are relative to the original schedule as created in Darwin, usually sourced from ITPS. In order to correctly interpret Darwin data, clients must also have access to the ITPS schedule data.

Darwin also supports the download of a complete XML-format timetable for those Clients who do not have access to their own ITPS-generated timetable.

Darwin holds a minimum of 48 hours-worth of data with the database being rebuilt overnight. The Client’s database must mirror this period if they wish to process all Push Port messages.

Darwin also provides a separate interface (DCIS web services) to allow clients to make updates to Darwin data. This Push Port interface also provides some features to allow these DCIS clients to provide a full end-to-end solution, from requesting an update to the subsequent Push Port updates that it generates. Features added to this Push Port interface to support DCIS clients can be used by non-DCIS clients, though such features may not always be available to all clients, subject to configuration or other reasons.

DCIS clients will also be allocated a unique identifier that the Darwin system uses to identify them in its configuration. This “update source” identifier is provided in certain Push Port messages to allow a DCIS client to identify updates that it has itself caused.

2. COMMUNICATION

2.1 Connection

Darwin can support multiple connection methods to obtain Push Port data. This specification is concerned solely with the data published from the Push Ports, regardless of the actual communication mechanism used to obtain that data.

Currently, two communications interfaces are supported: TCP socket connections and ActiveMQ message queuing connections. These interfaces are documented in their respective specifications given in reference [Ref. 2] and reference [Ref. 3].

2.2 Amazon S3

An Amazon S3 “bucket” is provided to give a means of access to Timetable Data files (section 4) and for Socket Push Ports, snapshot files. This service will be available over the Internet.

Each client that requires S3 access will be provided with the URL of the “bucket”. The access will be read-only and clients cannot write or delete files. Access may be controlled by an IP address white-list, so clients must pre-specify from which IP address they will be retrieving the files.

2.3 Availability

The Push Port service is available continuously, 24x365. Data is provided as soon as it is updated, other than when Darwin is re-building its timetable, when it may be queued for a short time. Darwin typically re-builds its timetable at 02:05 each day, though this may possibly occur at other times due to operational reasons.

3. PUSH PORT DATA

Note that from version 11, the data schema has been broken into several separate files. This has been done for ease of management and to localise the impact of future changes. From a usage perspective little has changed, as there is a single root schema that includes the other files.

The Darwin Push Port interface must be initialised according to the protocol and guidance detailed in the appropriate communications specification (reference [Ref. 2] and reference [Ref. 3]). When initialised, the Push Port will generate a stream of data “update” messages, as detailed in this specification.

Darwin will also broadcast heartbeat messages. A list of heartbeat and status messages is provided in section 3.1.

Note: A database rebuild occurs on a nightly basis. Currently, this is configured to occur at 2:05 am, although this is subject to change and should not be relied upon. During the rebuild, Darwin will not issue any update messages and the heartbeat will indicate that the database is being re-initialised (HBINIT). Once the database rebuild has completed, Darwin will notify the Client that the database is available via the heartbeat message (HBOK).

3.1 Darwin Status Messages

A status message with the current state of the interface (HBOK, HBPENDING, HBINIT or HBFAIL) is sent every 60 seconds if no other data is sent to the client in that time. This message is also sent immediately if the state of the interface has changed. Status messages may also be sent by some of the individual communications protocols (see their specifications for details).

The status messages that may be received by the client are:

Code	Type	Text	Description
HBOK	Heartbeat; sent periodically.	System is available	Darwin is running and able to accept requests for data.
HBINIT	Heartbeat; sent periodically.	System is initialising	Darwin is running but is initialising its timetable. Clients should wait until a HBOK message is received.
HBFAIL	Heartbeat; sent periodically.	System is unavailable	Darwin is shutdown (the push port handler is a separate process from the core Darwin process).
HBPENDING	Heartbeat; sent periodically.	System is failing over and data is delayed	Darwin is operating, but part of the system is currently in failover mode. Data may be queued for a short period. Clients may remain connected and data will be delivered when

			available. This status is only returned in data schema version 11 and later.
‡XMLBUSY	Error; a problem was detected.	System is responding to a previous request	Darwin is busy responding to a previous request by the Client. Client should wait for the 'HBOK' code.
‡XMLBADIN	Error; a problem was detected.	Failed to validate request	The request XML did not match the schema.
‡SOFTERROR	Error; a problem was detected.	Something went wrong processing the request	An error occurred when processing the request. These errors should be reported to the Darwin Service Desk for investigation.
‡XMLBADOUT	Error; a problem was detected.	Failed to generate a valid response.	Push Ports generated a response that was invalid against the schema. These errors should be reported to the Darwin Service Desk for investigation.
‡TOOLONG	Error; a problem was detected.	Too much data received	Too much data has been received without a valid Push Port XML end tag.
‡INVREQ	Error; a problem was detected.	Dependent on circumstance.	An invalid request was made.
‡INVVER	Error; a problem was detected	An unsupported schema version has been requested.	A request version message was sent with schema versions not supported on the push port server.
‡QOVERFLOW	Error; the output queue has overflowed	Output queue overflow	The client is taking too long to process messages and the Darwin output queue has overflowed. Data will have been lost.

‡ These Status messages may not be generated for all communications protocols. Check the appropriate Push Port Communications Specifications for details.

The general format of Darwin status messages is as follows:

```
<?xml version="1.0"?>
<Pport ...>
  <FailureResp code="HBOK">
    System is available
  </FailureResp>
</Pport>
```

From version 11 of the data schema, DCIS clients can request (via the DCIS web service interface) a heartbeat operation, to verify full end-to-end operation. When responding to a heartbeat request, a **<FailureResp>** message will include optional **"requestSource"** and **"requestID"** attributes. These attributes allow a client to detect that this heartbeat message was generated as the result of the DCIS web service request made by that client, verifying end-to-end operation. Only the filtered client that requested the heartbeat, as determined by the **"requestSource"** attribute, and unfiltered ActiveMQ clients, will receive the message. The **"requestID"** attribute is an optional value provided by the DCIS client with their heartbeat request.

The status returned for a heartbeat will reflect the current state of the system, as will be returned in the next regular status message (assuming the state does not change in the meantime). During some internal Darwin failover scenarios, heartbeat messages may be lost, even though the regular status messages appear to indicate that the system is available.

3.2 Snapshots

When a client is ready to start receiving real-time updates then a snapshot request must be made to synchronise with the current state of Darwin's data. The actual mechanism to generate and process a snapshot differs according to the communication method in use. See reference [Ref. 2] and reference [Ref. 3], as appropriate.

Snapshots summarise the current state of the information held by Darwin. They allow a client to synchronise Darwin's data to a particular point in the stream of Update messages.

As a part of a **Standard Snapshot**, Darwin provides information for all *activated* train journeys in the Darwin database (see section 3.3.1.1), even if the service has not been modified. Standard Snapshots are available from all Push Port communication interfaces.

Full Snapshots are only available from the TCP socket connection interface. As part of a Full Snapshot, Darwin provides the same information as the Standard Snapshot but for all services that are either *activated*, or have been modified from the base ITPS planned timetable in some way (i.e. previously activated). Timetable services that have not been modified and are not active shall not be sent (though they are available in a Timetable file (see section 5)).

3.3 Updates

The information provided to a Push Port Client (either as a snapshot or an update) comprises of:

- Schedule information (see section 3.3.1)
- Deactivation information (see section 3.3.1 – not in snapshots)
- Association information (see section 3.3.2)
- Train Formation information (see section 3.3.3)
- Actual and forecast information (see section 3.3.4)
- Train Loading information (see section 3.3.5)
- Train order information (see section 3.3.7)
- Status of train table suppression and station messages (see section 3.3.8)
- Train alert information (see section 3.3.9)
- Tracking ID Corrections (see section 3.3.10 – not in snapshots)

- Alarm information (see section 3.3.11)
- Station Information (see section 3.3.12)

Within a single Push Port snapshot or update message there may be multiple data items from the above list. In a typical message there will be just a single item, but clients *must* handle the presence of any number of items (including zero). Snapshots may be delivered as a single message with all data held within (currently used by the sockets interface) or as multiple messages, each containing one or more data items (ActiveMQ interface).

DCIS clients can originate updates to Darwin data (via the DCIS web service interface). From version 11 of the data schema, when the Push Port generates an update response (<uR>) message directly resulting from that update, it will include values for optional “requestSource” and “requestID” attributes. These attributes allow a client to detect that this update message was generated as the result of the DCIS web service request made by that client. The “requestID” attribute is an optional value provided by the DCIS client with the original request.

Additionally, from version 12, an update response may also contain an “updateOrigin” attribute. This indicates the origin source type of the update, for example “CIS”, “TD”, “Tyrell”, or others. Updates from origins other than “CIS” may or may not have an associated “requestSource” attribute, but if this attribute is present, it is guaranteed not to have a value that duplicates a “requestSource” allocated to a CIS.

Snapshot responses do not include these “requestSource” and “requestID” attributes, as snapshots are always specific to an individual Push Port client and are not generated from a DCIS web service request.

When sending updates, Darwin will send schedule changes first followed by updates to the forecast/actual times.

In some circumstances, a DCIS web service request may be accepted by Darwin, but will generate no actual change to the data. In order for a DCIS client to get positive feedback that their request has completed, Darwin will send an empty update response (<uR>) message to confirm the update. This empty message will only be sent to the filtered port(s) associated with the originating DCIS client and unfiltered ActiveMQ ports.

3.3.1 Schedule Information (the ‘Schedule’ element)

As a part of an **Update**, Darwin provides schedules when a new schedule or schedule change becomes known to Darwin, or the schedule is activated.

A schedule covers the complete journey of one train.

Schedule changes and new schedules are always transmitted in full. Schedule changes replace previous versions of the schedule.

Note: Journeys are primarily identified by RID (Darwin generated ID). The RID is unique in the Darwin database whereas the UID is not.

A schedule comprises of an origin, zero-to-many intermediate points and a destination. Intermediate points may be calling points (where the service stops for passengers) or (from v9 onwards) passing points. From v11 onwards, operational calling points may be supplied, where a train calls at a location for operational reasons, not applicable to passengers. Cancelled locations are also included in the schedule. If an origin/destination is cancelled, then it will still be identified as an origin/destination but there will be an additional point that represents the live origin/destination. It is possible for cancelled locations to appear before the live origin and/or after the live destination. Locations will be listed in order from origin to destination. This will normally be in chronological order by working scheduled times, but prior to version 11 this is not guaranteed in all circumstances, particularly if a service is re-routed from its booked path. Note that Darwin makes no guarantee that the order of locations implies any valid route on the physical rail network. Neither is there any indication whether cancelled locations will be passed through by the running train, or not.

From version 11 of the data schema, when a service is re-routed to a new path, which then re-joins the original path, the location at which the service re-joins may have an “rdelay” attribute. This attribute provides a delay value that is implied by the change to the service's route. Darwin will add this value to the forecast lateness of the service at the previous schedule location when calculating the expected lateness of arrival at this location. A client that is expecting scheduled times to chronologically increase will need to take this value into account, since the scheduled times may jump back when the service joins its original route. Adding the “rdelay” value to the scheduled times at the location where it is defined, plus later locations, will maintain chronological order.

In determining the chronological order of locations, where cancelled locations imply an overlapping range of scheduled times, Darwin will sequence the locations based in the working arrival, pass or departure times (as applicable), in that order. For example, given a cancelled location “A” with sta=“10:00:00” and std=“10:05:00” and another location “B” with stp=“10:03:30”, then location “A” will be ordered before location “B”.

For clients using a data schema prior to version 11, when a service is re-routed and has a “rdelay” value applied, Darwin will not publish this value. Thus, it is possible that the scheduled times will not be in chronological order at the point where the service re-joins its original route. A client needs to be able to cope with these discontinuities, but in order that correct behaviour in all cases can be achieved, it is recommended that clients update to the latest schema version.

Since there is no absolute guarantee that live times are in chronological order, a client must correctly handle the case where a time goes backwards, or just appears to do so because it has crossed a midnight boundary. Darwin uses the following rules

to handle these cases:

Difference Between Two Times	Interpret As
Less than –6 hours	Crossed midnight
Between –6 and zero hours	Back in time
Between zero and +18 hours	Normal increasing time
Greater than +18 hours	Back in time and crossed midnight

From version 9 of the data schema onwards, there are two sets of scheduled times for schedule locations: Working scheduled times and Public scheduled times. All locations have Working times, but only locations that have a passenger activity normally have Public times. In general, only Public times should be used when displaying schedules. Note that Working and Public times may, and commonly do, differ from each other. Note that in the version 9 schema, the working times were defined with the wrong data type, which truncated the number of seconds in the time. This has been corrected in later versions.

Note that also from version 9, the definition of schedule activity codes has changed slightly. Previously, they consisted of 12 character fixed length data, reflecting the way they are provided from CIF. From version 9 onwards, activities have been re-defined to be 6x2 character data, with empty activities consisting of two spaces (" ") removed. Thus a typical activity of "T " has changed to "T ".

It is possible that Working and Public times will be provided at locations where the activity codes indicate that they are not valid. For example, if a train is terminated short, it will have one of its calling points modified to have a "TF" activity, to reflect the fact it is now the destination. However, the scheduled departure times will still be published, to allow clients to show the planned departure has now been cancelled.

From version 11 of the data schema, to allow clients to detect when activities have been modified, planned activity codes are provided when they differ from the current activities. Clients of prior versions do not have planned activity codes supplied, and consequently cannot detect when they are changed without remembering them across changes, as they happen.

It is possible for schedules to be marked with a 'Deleted' flag. This is used to indicate services that exist in the Darwin database, but have been manually removed from public display. If a schedule is received with the 'deleted' attribute set to true then the client should act as if the schedule does not exist. Note that the 'deleted' flag can be set or cleared at any time, including for services that are in progress.

Individual schedule locations may also be deleted within Darwin. Clients of all versions will not receive locations marked as deleted, or any indication of their deletion, other than their absence from the schedule.

Schedules and schedule changes will include false destinations and cancellation reasons if available. False destinations apply on a per location basis.

Prior to version 11 of the data schema, cancellation reasons are provided per schedule location. From version 11 of the data schema, only a single cancellation reason is provided for the whole service. However, from version 17 of the data schema, cancellation reasons have been restored to locations.

Prior to version 11 of the data schema, a schedule location may also include a platform number, so that scheduled platforms may be provided when schedules are created. Note however, that the normal way of receiving an update to platform numbers is by a *TS* update. From version 11 of the data schema, platforms are not provided with a schedule location, and will only be provided in *TS* updates. If required, a *TS* update will be sent when a schedule is created to communicate platform (and other) information.

Darwin will also provide Bus and Ferry information. The transport service type will be identified by a ***status*** attribute within a schedule. The value used by the ***status*** attribute is defined in reference [Ref. 1], though Darwin does not support Freight and Trip values. A service is treated as a train, bus or ferry solely based on the status value.

The Train Category is identified by the ***trainCat*** attribute within a schedule. The value used by the ***trainCat*** attribute is defined in reference 0.

From version 11 of the data schema, Darwin will support Empty Coaching Stock (ECS) trains in its data. ECS trains are identified by the value of the Train Category. Darwin will interpret a train with a category set to one of the following values as a passenger train: "OL", "OO", "OW", "XC", "XD", "XI", "XR", "XX", "XZ". All other values of Train Category for a train shall be interpreted as an ECS (non-passenger) train. To aid clients in interpreting the Train Category values, an 'isPassengerService' attribute will be set on a schedule to true when one of the previous list of passenger category values is set. The 'isPassengerService' value will be set to false for any other value of category.

From version 11 of the data schema, a schedule may be marked with a boolean attribute to indicate that it is a charter service. Clients of prior versions will still receive the schedule, but there will be no indication that it is a charter service. Instead, the service will be marked as deleted.

From version 14 of the data schema, schedules may have an optional "rsid" attribute. This will be set to the Retail Service ID of the train, where this is available. The RSID may be a full 8-character "portion identifier", or a 6-character base identifier, according to the data has been made available to Darwin.

From version 15 of the data schema, schedule locations may have optional "fid" and "avgLoading" attributes. The "fid" attribute provides the Formation ID of the train formation that applies at that location (see section 3.3.3). If no "fid" attribute is given then the formation at the location is unknown.

The “avgLoading” attribute indicates the average passenger loading that this service typically would have at the location. It is based on long-term averages and does not vary according to actual real-time loading. See section 3.3.5 for details.

Prior to version 17 of the data schema, only a single cancellation reason is provided for the whole service. From version 17 of the data schema, cancellation reasons may also be provided per schedule location, in addition to the service-level reason. It is possible that different reasons may be provided at each location, and also at the service level. For example, there may be a service-level reason that applies to all locations, except for certain locations where it has been explicitly overridden with a different reason.

From version 18 of the data schema, Darwin will support diversion information in its data.

A Schedule may have optional “divertedVia” and “diversionReason” attributes. If the service has been diverted, the “divertedVia” attribute identifies the TIPLOC via which the diversion is made. Note that the TIPLOC might not be a schedule location. If the service is subject to a diversion, the “diversionReason” attribute may be present to indicate the reason for the diversion.

Schedule locations may also have an optional “affectedByDiversion” attribute. This will be true if this location has been affected by a diversion.

3.3.1.1 Schedule Activation

From the release of version 11 of the data schema, for all supported schema versions (including those prior to version 11), Darwin will send a *Schedule* update to clients when the service is *activated*. Activation may occur at any time, but will typically be at a configurable window before scheduled departure from origin. Activation may also occur, if it has not already happened, prior to any update being applied to a service. Thus, each service will always send a *Schedule* message and a *Schedule* message will always be the first message received by a client.

If a DCIS web service client requests to activate a schedule and that schedule is already active, then the subsequent Push Port *Schedule* update will only be sent to the filtered port(s) associated with originating DCIS client and unfiltered ActiveMQ clients.

Where an activated service has Join, Divide or Link associations, these associated services will also be activated at the same time. Darwin will publish all associated schedules and their *association* elements in the same message as the schedule that was activated. *Schedule* elements will appear before the *association* elements that reference them in the published message. Darwin will also publish any Next associations containing the activated service, but will not activate or publish (in the same message) the other schedule referenced by a Next association.

A schedule message is also sent for Q Trains that become active, though this will

only happen when Darwin has positive confirmation that the service will run. See section 4.2.1.1 for details on these journeys.

At a time after which Darwin no longer anticipates further updates to a service, it may be *deactivated*. Services that become deactivated will be notified by a *deactivated* message, which simply identifies the RID of the deactivated service. Deactivated services should not be published to the public.

If Darwin receives a subsequent update for a deactivated service, it may reactivate it by sending another *Schedule* message. The reactivated schedule may still meet the criteria for deactivation, but any subsequent *deactivated* message is guaranteed not to be sent for at least 60 seconds.

Since Standard snapshots only include activated schedules, schedules that are deactivated will not appear in Standard snapshots. However, if the service has been modified in any way, a Full snapshot may include a schedule for a deactivated service, but in this case it will be marked with an `isActive="false"` attribute.

Prior to version 11 of the data schema, clients will not receive *deactivated* messages or snapshot schedules with an `isActive="false"` attribute. Thus, these clients will not be informed of deactivation.

3.3.2 Association Information (the ‘association’ element)

From version 11 of the data schema, association information has been provided as *association* elements separate from *schedule* elements. Associations consist of:

- a category, which can be Join, Divide, Link or Next
- a TIPLOC location where the association occurs
- a cancellation flag, to indicate that the association is no longer happening
- a deletion flag, to indicate that the association no longer exists
- a “main” service identifier
- scheduled times for the association location on the main service (for use on circular routes where the location may appear more than once)
- an “associated” service identifier
- scheduled times for the association location on the associated service (for use on circular routes where the location may appear more than once)

For Join and Divide associations, the main service is that which continues through the TIPLOC location. The associated service is that which terminates or starts at the location. For Link associations, the main service is that from which passengers transfer at the TIPLOC location, to the associated service. For Next associations, the main service is the one which provides the rolling stock to form the associated service as its next working.

Multiple associations may exist for a service at a single location, but only one association of the same category may exist between the same two services at a location, whether cancelled, deleted, or not. Only one non-deleted association (of any category) may exist between the same two services at a location.

If an association is marked as deleted, the association may not meet the usual rules for valid (non-deleted) associations. For example, a deleted association may refer to a TIPLOC location that does not exist in either of the associated schedules.

3.3.2.1 Link Associations

Link Associations are provided to allow two services to be linked together to provide a single “combined view” of a service to the public. These are typically used in scenarios where a Bus Replacement service is linked to a train running only part of its schedule, to make it appear that it is still running for most or all of its original calling pattern. However, services may be linked in other circumstances, as deemed necessary by Operations staff.

Links may be added at any stopping location in a schedule, though will often be added at the destination to provide a continuation of a service that is itself terminating.

Prior to version 11 of the data schema, Links are notified as a pair of new values in the association *CategoryType* enumeration. Two values are provided to allow the direction of a link to be inferred. A link association may be a *link-to* (“LT”) or *link-from* (“LF”), indicating the direction of passenger flow from one service to another. If service A has a *link-to* association with service B, then passengers change from service A to service B. Similarly, if service B has a corresponding *link-from* association with service A, then passengers also change from service A to service B.

From version 11 of the data schema, only a single Link association category exists, “LK”. A link association is still considered a *link-to* or *link-from*, but this is inferred from the main/associated service identifiers in the *association* message. Passengers always travel from the main service onto the associated service, thus a *link-to* association exists from the main service to the associated service. A *link-from* association exists from the associated service to the main service.

Where a *link-to* association appears at the destination of a service and the corresponding *link-from* association appears at the origin of the linked service, this is an *end-to-end* link, which should be interpreted as a simple combination of the two services into a single “logical” service.

If a link association appears where it is not *end-to-end*, then this should be interpreted in a way similar to a divide or join association, in that it gives the possibility of multiple origins and/or destinations from a given calling point in a schedule. However, note the possibility that the linked service may involve a change to another type of transport, e.g. from a train to a bus, which does not happen with

“normal” divide or join associations.

3.3.3 Train Formation Information (the ‘scheduleFormations’ element)

From version 15 of the data schema, *Train Formation* data may be provided. Train formation data consists of a unique identifier of the formation and a list of coaches that make up the formation. Each coach has a unique (within the formation) number/ID and optionally, a passenger ticket class, e.g. First, Standard or Mixed. The order of the coaches will be the same as given by the provider of this data to Darwin, and should be in the order that the coaches are travelling.

The Push Port service will send Train Formation data whenever it changes and in snapshots. A train formation identifier will be published with each schedule location where it applies. However, train formations themselves will not be published with each schedule message unless the formation data itself has been changed by that update.

Formations may only be set at calling locations, but will ripple on to subsequent non-cancelled locations (including passing locations) until another formation is set. If a schedule location has no formation ID then the formation at that location is unknown. Cancelled locations may have a formation ID set, but that formation will not ripple to other locations and rippled formations will not ripple onto cancelled locations.

It is not guaranteed that a formation will be set at all locations. For example, a formation may be set only half way down a schedule, and the formation before this point will be unknown. Additionally, a formation may be cleared from a location. The clear of the formation will itself ripple onto following non-cancelled locations, but only up to the point where another formation has been set.

From version 16 of the data schema, Train Formation data may include information that indicates the availability of toilets in each coach of the formation. Toilet availability will be provided as a string value, having one of the values “Unknown”, “None”, “Standard” or “Accessible”. Note that other values may be supplied in the future without a schema change. If no toilet information is supplied, it should be assumed to have the value “Unknown”.

If supplied, the Toilet Availability element may have a *status* attribute, which can have one of the values “Unknown”, “InService” or “NotInService”.

3.3.4 Actual and Forecast Information (the ‘TS’ element)

“Actual and Forecast Information” messages convey “real time” information related to stations in the train’s schedule. These messages are not used to communicate changes in schedules (which will be communicated by Schedule Messages), but will convey information about:

- Expected times of arrival and departure at calling points
- Expected times of passing at passing points (from v9 onwards)

- Unknown delay status indication (“delayed”)
- Current manual delay values (from version 11 onwards)
- Actual times of arrival and departure at calling points
- Actual times of passing at passing points (from v9 onwards)
- Information regarding the source of an expected or actual time (from v8 onwards)
- Platform numbers at calling points (including source and confirmation status from version 11 onwards)
- Whether a platform number is *suppressed*, i.e. should not be displayed to the Public
- Whether the service is *suppressed*, i.e. should not be displayed to the Public (from version 11 onwards)
- Train length (from version 11 onwards). *Note, there is no guarantee that this value will be consistent with the Train Formation data that may be sent from version 15 onwards. Both items of data are set by systems external to Darwin and it is possible for conflicts to occur.*
- Whether a train that divides is running in reverse formation at the divide location (from version 11 onwards)
- Whether a train that detaches stock detaches from the front (from version 11 onwards)
- Late running reason (From version 17 onwards)
- Uncertainty fields (From version 17 onwards)

Darwin provides the following information for a train, as it becomes known to Darwin:

- Actual Time – Actual times are provided to Output Ports as a part of the update process, as Darwin becomes aware of them. Note that actual times are not received for all stations. In these instances, the client must consider missing actual times prior to locations with actual times as being “No Report”.

Actual times may be withdrawn, if an operator determines that they have been made in error. In this case, a *TS/Location* element will be sent where the actual time is absent and an estimated time is provided. Additionally, an “atRemoved” attribute will be supplied to indicate that the actual time has been explicitly withdrawn. Note that this “atRemoved” attribute will only be sent once, when the actual time is withdrawn, and is intended only to avoid a race-condition for DCIS clients. It will not be set on subsequent updates or snapshots.

Actual Time Class – From v13 onwards an actual time will be accompanied by an “atClass” attribute. Its value is a short string, such as (but not limited to) “Automatic”, “Manual”, “GPS”. Note that if in the future Darwin accepts data from other sources, new string values may be returned without a schema update.

- Forecasts – Darwin supplies expected times of arrival and/or departure as available. To conserve bandwidth, Darwin will only send Actual and Forecast Information for stations where the information has changed. An update message will convey information for a minimum of one station/TIPLOC. Depending on the changes being conveyed, the stations for which information is conveyed need not be contiguous in the train’s schedule. Forecast information is provided to Push Ports, where there is a *significant change* to the information that has previously been provided to the Ports, as a part of a snapshot or update.

Forecast times for locations with Public activities are calculated with reference to the Public Schedule times at those locations. For passing and operational locations, the forecast times are calculated with reference to the Working

Schedule times.

From version 12, where a location has a Public activity and the forecast calculated with reference to the Public Schedule times differs from a forecast calculated with reference to the Working Schedule times, a separate forecast time shall be published giving the value of that “working” forecast. These working forecasts are intended for operational use only and are not to be displayed in public visible information.

- Forecast or Actual Time Source – From v8 of the data schema onwards, each Forecast or Actual Time will be accompanied by a source attribute (*src*), which indicates from where the associated time originated. Its value is a short string, such as (but not limited to) “Darwin”, “CIS”, “TRUST”, “TD”, “Tyrell”, etc. Note that if in the future Darwin accepts data from other sources, new string values may be returned without a schema update.

If the source can have multiple instances (currently only for the “CIS” and “TRUST” sources, but this is not a limitation), there may also be supplied a *srcInst* attribute. This attribute is set to a 4 character coded value that indicates which instance of the source set the forecast or actual time. This is currently used to distinguish multiple CIS systems from one another, or the type of TRUST movement that has been reported, i.e. Automatic, Manual or GPS.

For example, if the *src* attribute is set to “CIS”, there may be a *srcInst* attribute with the value “AM01”. Another forecast may have a *src* attribute set to “CIS”, but a *srcInst* attribute with the value “TH01”. These two forecasts are set by the “Southern Metropolitan” CIS and the “Southeastern” CIS, respectively. A mapping table between the source instance codes and an expanded display name can be downloaded in the Timetable Reference data file from v2 onwards (see sec. 4.2.2).

A *significant change* is defined as:

- A change in the nature of the information that is available for a location, where the nature may be: ‘No Data Available’, no report, a forecast or an actual time.
- The forecast time for the location (arrival, departure or pass) differs to that last reported to the Output Ports by a minute or more.

When the Push Port outputs an Update for a <Location> element, all attributes and child elements defined by the schema will be either explicitly supplied in the message, or can be assumed to take their default value as defined in the schema. If an optional attribute is not supplied and the schema does not specify a default, then it should be assumed to be “unset”.

Prior to version 11 of the data schema, the *TS/Location* element provided a “deleted” attribute. Clients should **not** rely on this flag to determine the deletion status of a service. Changes to the deletion status should only be made on receipt of a “Schedule” message. Later schema versions have removed the “deleted” attribute from the *TS/Location* element.

3.3.4.1 Use of Platform Numbers

Current platform numbers may be provided in *TS* updates. Although such platform numbers are supplied, they are not always to be used when displaying data to the public.

To determine whether a platform number should be visible to the public, a *platsup* attribute is provided in the *TS/Location/plat* element (or *TS/Location* element prior to version 11). If this attribute is set to the value "true" then the platform number at that location should not be displayed.

Additionally, two other data items are provided related to platform suppression:

1. If the *cisPlatsup* attribute is set to the value "true" in the *TS/Location/plat* element then the platform number at that location has been suppressed by a CIS or Darwin Workstation.
2. If the *TS/Location/suppr* element has the value "true" then the service is suppressed at the location and the platform number at that location should not be displayed.

Either or both of these values being set to "true" shall cause the *platsup* attribute to also be set to "true". A client that only wants to know whether platforms should be displayed to the public need only check the value of the *platsup* attribute.

3.3.5 Train Loading Information (the 'formationLoading' element)

From version 15 of the data schema, *Train Loading* data may be provided. *Train Loading* data is linked to a valid *Train Formation* and a formation must exist for loading data to be sent.

The loading data consists of:

- The RID schedule identifier of the service that has the loading data.
- The TIPLOC and scheduled times of the location in the schedule where the loading data applies.
- The Formation ID of the formation that is set at the schedule location.
- A list of loading values (0-100%), one for each coach that makes up the train formation.
- The source and instance ID of where the loading data originated.

The loading data only applies at the indicated location and will not ripple. The loading on departure from the previous location can be inferred to be unchanged at arrival of the next location, but no value will be provided by Darwin until one has explicitly been set.

It is possible for loading data to be supplied for only a subset of coaches in the formation. However, all coaches that have loading data set will be provided in each message. If a coach is not present in the loading data then its loading value should

be assumed to be not set or cleared. Thus, if the loading values are cleared at a schedule location, a *formationLoading* element will be sent with no coach data at all.

Note that this empty *formationLoading* element will be sent once only, at the time the data is cleared. In later snapshots, no *formationLoading* element will be supplied at all for the cleared schedule/location, indicating that no loading data exists.

Since the *Train Loading* data is linked to the *Train Formation* data, if the formation ID (“fid” attribute) of the schedule location changes, then all of the loading data linked to the previous formation at that location must be discarded. No explicit message clearing the old loading data will be sent. If any loading data is set for the new formation at that location, then it will be sent as normal.

The loading data provided in the *formationLoading* element for individual coaches is distinct from the “avgLoading” attribute supplied on a schedule location. The “avgLoading” attribute indicates the average passenger loading that the entire service typically would have at the location. It is based on long-term averages and does not vary according to actual real-time loading.

3.3.6 Service Loading (the ‘serviceLoading’ element)

From version 17 of the data schema, *Service Loading* data may be provided.

The loading data consists of:

- The RID schedule identifier of the service that has the loading data.
- The TIPLOC and scheduled times of the location in the schedule where the loading data applies.
- The source and instance ID of where the loading data originated.
- The working and public times for the service
- One or both of the following
 - The Loading Category of the service (see 5.3.2 Timetable Reference Data for further information on this data, the type, source and source instance of loading data)
 - The Loading Percentage, the type, source and source instance of loading data

The loading percentage data provided in the *serviceLoading* element is identical to the “avgLoading” attribute supplied on a schedule location. However the “avgLoading” attribute is now deprecated and replaced by this element. Code that uses the “avgLoading” attribute should be migrated to use the “serviceLoading” element instead to prevent future issues.

3.3.7 Train Order (the ‘trainOrder’ element)

From the version 11 of the data schema, Darwin may publish messages indicating the expected order that trains are to depart from a station platform.

The station is identified by both TIPLOC and CRS code. The TIPLOC will be the TIPLOC supplied by the provider of the train order and may not be the same as the TIPLOC used in the schedules referenced in the message. However, the TIPLOC and those referenced in the schedules will share the same CRS code, as defined in Darwin's configuration data.

Each message for station platform may set a new train order, or may clear the previous train order. If a new order is set, it completely replaces any previous order.

Up to three trains can be set in the train order. Trains are identified by the Darwin RID identifier, where the train is known by Darwin and an RID has been provided. However, where a Darwin RID identifier has not been provided, or a train is unknown to Darwin, only a Train ID (headcode) will be provided.

When a Darwin RID is given for a train, a set of attributes containing scheduled times is provided to identify the exact schedule location for circular routes.

Where associations occur at a platform where the train order is set, the train order reflects the order that the services depart. Thus, for a service that divides at the platform, the train order separately lists each portion that departs. Where services join, only the single joined service is listed.

3.3.8 Station Messages and Train Table Suppression Status (the 'OW' element)

As a part of a **Snapshot (Standard or Full)**, Darwin identifies stations that have their train table suppressed and/or a message assigned, together with the text of the message.

As a part of an **Update**, Darwin provides new and revised details for these items, as information becomes known to Darwin.

A message is attached to a list of stations and includes details on the category (cat) and severity (sev) of the message, plus whether the train running information table normally displayed to the public is to be suppressed for stations to which this message is attached.

The categories and severities that can be applied are detailed here:

Category Code	Meaning
Train	Something that affects the trains calling at the station.
Station	Something related to the station itself such as lifts, escalators, etc.
Connections	Connecting services, for example London Underground.
System	Darwin Systems related.
Misc	Miscellaneous (anything not covered by other categories).
PriorTrains	Advance notices affecting trains, such as engineering work.
PriorOthers	Advance notices affecting other things, such as the lifts being out of order for the next week.

Severity Code	Meaning
0	Situation normal. Message is for reassurance only.
1	A minor item.
2	A major item.
3	A severe item.

From v19 of the data schema, Station Messages also have a sub-category (subcat) value. The sub-category is interpreted in relation to the indicated category. For example, the only sub-categories defined in v19 are “NotSpecified” and “Lifts”. The “Lifts” subcategory will only be returned for messages of category “Station”. All other categories will return a sub-category of “NotSpecified”. “NotSpecified” may also be returned for “Station” category messages if they are not lift-related.

If a future data schema version introduces new sub-categories, previous versions that do not support those values will set the sub-category to “NotSpecified” for the affected messages.

The following table shows the allowed combinations of Category and Sub-category:

Category Code	Allowed Sub-categories
Train	NotSpecified
Station	NotSpecified Lifts
Connections	NotSpecified
System	NotSpecified
Misc	NotSpecified
PriorTrains	NotSpecified
PriorOthers	NotSpecified

Note that the message text can also include two particular basic HTML-like elements. Paragraph elements (“<p>”) are used to break lines, and anchor elements (“<a>”) define links to a URL. Messages can also include character entity references (e.g. “ ”) that some client systems may need to translate before rendering the supplied text.

The message includes an ‘id’ attribute that must be used to match up messages. As the operator is at liberty to change the text of the message, and even have different messages with the same text, this is the only means that should be used to identify messages. The value of ‘id’ is an integer with an opaque meaning. All IDs stored by clients must be cleared when the database is unavailable, a new snapshot is requested or a timetable rebuild is signalled.

Note that the Station elements can be missing, implying that this message has been removed from display at all stations, though the message still exists in the system. Each time a message is received, the full list of stations is supplied to which the message is attached. This implies that removal of a message from a station shall be

inferred from the absence of that station in the supplied list.

3.3.9 Train Alerts (the 'trainAlert' element)

The NRCC or a TOC can send important announcements (textual information known as train alerts) out via the Push Port. These alerts can be attached to various services and individual stations called at by those services. Prior to version 11 of the data schema these were known as "Ad-hoc alerts".

As a part of a **Snapshot (Standard or Full)**, Darwin identifies train alerts and the services and stations to which they apply.

As a part of an **Update**, Darwin provides new and revised versions of these alerts, as information becomes known to Darwin.

A part of a Train alert, the following data items are supplied:

- *Alert ID* – A unique identifier for this alert.
- *Services* – A list of services this alert is attached to.
- *SendAlertBySMS* – (known as *SendAlert* prior to v8) – If set to True then this alert is eligible to send by SMS.
- *SendAlertByEmail* – (v8 onwards) – If set to True then this alert is eligible to send by email.
- *SendAlertByTwitter* – (v8 onwards) – If set to True then this alert is eligible to send by Twitter.
- *Source* – The sender of this alert. The value can be a TOC code, or the string "NRCC".
- *AlertText* – The text of the alert. See below for details on how to process this field.
- *Audience* – The intended audience for this alert. It may be set to *Customer*, *Staff* or *Operations*.
- *AlertType* – The type of the alert, which may be *Normal* or *Forced*. How a client should differentiate between *Normal* and *Forced* is specific to a client and Darwin does not provide any interpretation. However, a client might typically send *Forced* alerts immediately, whereas *Normal* alerts are only sent within a time window.
- *CopiedFromAlertID* – (optional) – The original *Alert ID* from which this alert has been copied.
- *CopiedFromSource* – (optional) – The *Source* (TOC code or "NRCC") of the alert from which this alert has been copied.

Prior to v8, the *AlertText* item was defined to be a simple text string containing the alert message. From v8 onwards, this field has been re-defined to contain an XML-encoded XHTML fragment that may contain embedded paragraph (<p>) and anchor (<a>) tags, as well as non-break space entities (). This allows alert messages to contain paragraphs and hyperlinks.

Thus, for example, the following alert message:

There are no services currently running between London Euston and Manchester Piccadilly.

For further details, please access the [National Rail Enquiries website](http://www.nationalrail.co.uk).

will be encoded as:

```
<AlertText>&lt;p&gt;There are no services currently running between London
Euston and Manchester Piccadilly.&lt;/p&gt;&lt;p&gt;For further details, please
access the &lt;a href="http://www.nationalrail.co.uk"&gt;National Rail Enquiries
website&lt;/a&gt;.&lt;/p&gt;</AlertText>
```

Clients whose output mechanism is HTML may directly output the alert text, but others will need to decode the message and convert the paragraphs and hyperlinks into a format suitable for their output medium.

3.3.10 Tracking ID Corrections (the ‘trackingID’ element)

From version 11 of the data schema, Darwin may publish messages to provide a corrected *tracking ID* (headcode) for a mis-identified train that is being reported by TD.NET.

The “trackingID” message provides the TD berth where the train is currently expected to be, the original incorrect headcode, and the new correct headcode that should be used to track the service.

Tracking ID corrections are only sent to the originator of the request and those clients that have requested *TD filtering* (see reference [Ref. 2] and reference [Ref. 3], as appropriate) of the TD area that contains the incorrectly tracked service.

These messages will only be published once, when the corrected tracking ID becomes known to Darwin. They will not be included in any snapshot.

3.3.11 Alarms (the ‘alarm’ element)

From version 11 of the data schema, Darwin may publish messages related to various alarm conditions.

The conditions that shall generate an alarm are:

Alarm	Description
TD Area failure	Darwin has detected that no data has been received from a single TD area for a defined period of time.
TD Feed failure	Darwin has detected that no data has been received from any TD area for a defined period of time.

Tyrell Feed failure	<i>No longer generated.</i>
---------------------	-----------------------------

Not all clients will be configured to receive all, or any, alarms. Additionally, only those clients that have requested *TD filtering* (see reference [Ref. 2] and reference [Ref. 3], as appropriate) of the applicable TD area will receive TD Area failure-related alarms.

Each alarm has a unique identifier associated with it. An alarm may be cleared by an “alarm” message containing a “clear” element that has the unique identifier of the alarm to be cleared.

Snapshots contain only those alarms that are currently active.

3.3.12 Station Information (the ‘stationInformation’ element)

From version 19 of the data schema, Darwin may publish messages related to station information. This is information that specifically applies to a station, rather than individual services.

Station Information can be considered as also including Station Messages (‘OW’ messages), but for compatibility reasons these are sent as their own separate element.

In version 19, the only station information that can be supplied is ‘LiftStatus’ information. A ‘stationInformation’ element will be issued for each station that has any ‘LiftStatus’ values set.

Since Darwin does not know the list of available lifts at each station, a ‘LiftStatus’ value will only be issued for lifts that are “OutOfService” (identified by their ‘liftID’). Note that the enumerated value in the schema allows a status of “Normal”, but this will not be sent.

When a lift is reported as “OutOfService”, a ‘LiftStatus’ message will be issued to report this fact. While the lift is in this state, a ‘LiftStatus’ message for the station and ‘liftID’ will also be reporting in a snapshot.

When the lift is later reported as “Normal”, a ‘stationInformation’ element will be sent for the station that does not include a ‘LiftStatus’ element for the previously reported ‘liftID’. This should be interpreted that the lift has now returned to normal operation. This also implies that it is possible that a ‘stationInformation’ element will be received that contains no ‘LiftInformation’ element, if there are no longer any lifts out-of-service at that station. In a snapshot, only those stations that have one or more out-of-service lifts will be reported.

Included in the ‘LiftStatus’ is a textual description of the location of the lift. This is passed through from the supplier of the data and is not interpreted or validated by Darwin at all.

Please Note: Although you can develop against the 'stationInformation' element / Lift status, currently there is no lift status data available to be returned, this will be coming circa Q1 2027.

3.4 Compatibility

Darwin has various configuration options to maintain compatibility with previous versions of Push Ports when changes have been made. These configuration settings are generally not available to new clients, who should behave as indicated by the latest versions of the specifications.

However, certain compatibility settings are not available for all versions of the schema, or all communications protocols. The differences are noted below:

- Full snapshots are not available using the ActiveMQ interface
- Post v11 schema clients may be configured not to receive non-Passenger trains and Next Working associations. This configuration is not available for clients using the ActiveMQ interface.

3.5 Updates with Release 4.9

There is a small change to push port behaviour in Release 4.9:

- Previously when a schedule message was sent the associated forecast message was also included in the same PushPort message. If the schedule has an associated train the associated schedule and its forecast message is also included in the same PushPort message.
- This could result in a forecast message being included for the associated train that was incorrect. So Forecast messages will now no longer be automatically included in the PushPort message when a schedule message is being sent.
- Forecast messages will only be sent when there is a change to the forecasts and this will be in a separate PushPort message.

3.6 Changes between Pushports V17 and V18

V18 of the pushports schema includes diversion information not included in previous versions. Locations can now be marked as being affected by a diversion, and schedules can now include information about a diversion; where the service is diverted via, the reason for the diversion, the location causing the diversion, and whether the cause is near or at that location.

N.B. V17 of the pushports XML schema did include a divertedVia element at the schedule level and affectedByDiversion attribute and diversionReason element at the location level, but these were not populated – V18 is the only way to receive diversion information.

3.6.1 New nodes and attributes:

At location Level:

- **affectedByDiversion** - boolean attribute

At schedule Level:

- **divertedVia** - element with string (tiploc) value
- **diversionReason** - element with short (numeric code) value
 - **tiploc** - string attribute
 - **near** - boolean attribute

3.6.2 Example v18 Pushports message showing a diversion:

(new information in **bold**)

```
<Pport xmlns="http://www.thalesgroup.com/rtti/PushPort/v18"
xmlns:ct="http://www.thalesgroup.com/rtti/PushPort/CommonTypes/v3"
xmlns:ct4="http://www.thalesgroup.com/rtti/PushPort/CommonTypes/v4"
xmlns:ct5="http://www.thalesgroup.com/rtti/PushPort/CommonTypes/v5"
xmlns:fc="http://www.thalesgroup.com/rtti/PushPort/Forecasts/v4"
xmlns:fml="http://www.thalesgroup.com/rtti/PushPort/Formations/v1"
xmlns:fml2="http://www.thalesgroup.com/rtti/PushPort/Formations/v2"
xmlns:fml3="http://www.thalesgroup.com/rtti/PushPort/Formations/v3"
xmlns:s2="http://www.thalesgroup.com/rtti/PushPort/Schedules/v2"
xmlns:s3="http://www.thalesgroup.com/rtti/PushPort/Schedules/v3"
xmlns:s4="http://www.thalesgroup.com/rtti/PushPort/Schedules/v4"
xmlns:s5="http://www.thalesgroup.com/rtti/PushPort/Schedules/v5" ts="2023-12-18T14:23:20.6988372+00:00"
version="18.0">
  <uR requestID="0010-5" requestSource="TEST" updateOrigin="CIS">
    <schedule isPassengerSvc="false" rid="202312187890015" ssd="2023-12-18" toc="NT" trainCat="00"
trainId="9N15" uid="N90015">
      <s5:OPOR act="TB" tpl="BOLTON" wtd="15:00"/>
      <s5:PP tpl="THRPSBJ" wtp="15:10"/>
      <s5:PP tpl="MILESPL" wtp="15:11:30"/>
      <s5:OPDT act="TF" tpl="MNCRVIC" wta="15:14"/>
    </schedule>
    <schedule rid="202312187810015" ssd="2023-12-18" toc="NT" trainId="1N15" uid="N10015">
      <s5:OR act="TB" ptd="15:00" tpl="MNCRVIC" wtd="15:00"/>
      <s5:PP tpl="MNCRDST" wtp="15:21:30"/>
      <s5:IP act="T " affectedByDiversion="true" pta="15:23" ptd="15:23" tpl="SLFDORD" wta="15:22:30"
wtd="15:23"/>
      <s5:IP act="T " pta="15:26" ptd="15:26" tpl="SLFDCT" wta="15:25:30" wtd="15:26:30"/>
      <s5:IP act="T " affectedByDiversion="true" pta="15:37" ptd="15:37" tpl="BOLTON" wta="15:36:30"
wtd="15:37"/>
      <s5:PP tpl="LOSTCKJ" wtp="15:41"/>
      <s5:IP act="T " pta="15:44" ptd="15:44" tpl="WSTHOTN" wta="15:44" wtd="15:44:30"/>
      <s5:PP tpl="CRWNSTJ" wtp="15:47"/>
      <s5:IP act="T " pta="15:48" ptd="15:49" tpl="HINDLEY" wta="15:48" wtd="15:49"/>
      <s5:PP tpl="WIGANSJ" wtp="15:53"/>
      <s5:DT act="TF" pta="15:54" tpl="WIGANNW" wta="15:54"/>
      <s5:divertedVia>MNCRPIC</s5:divertedVia>
      <s5:diversionReason near="true" tiploc="HINDLEY">702</s5:diversionReason>
    </schedule>
    <association category="NP" tiploc="MNCRVIC">
      <s2:main rid="202312187890015" wta="15:14"/>
      <s2:assoc ptd="15:00" rid="202312187810015" wtd="15:00"/>
    </association>
  </uR>
</Pport>
```


4. TIMETABLE FILES

Darwin makes available timetable files to registered clients. These timetable files are available via download from the Amazon S3 service.

The following files are available to registered clients:

- **Timetable Data.** The set of schedules covering at least a 48-hour period held in the Darwin database. This list of schedules provides the basis on which a Darwin snapshot can be applied. The schedules in the timetable do not include forecast or actual times although they reflect the latest state that Darwin has when the timetable file was generated, so any schedule changes, new schedules, false destinations, cancellations and associations will be included. See Section 4.2.1 for details of the file format. Note that the schedules also include platform numbers. However, this platform number is the one that was current when the timetable file was generated. This will typically be the scheduled platform. The *current* platform number may be different and if so will be transmitted in a snapshot update.
- **Timetable Reference Data.** Reference data in the form of mappings from the TIPLOC to CRS, TOC and Name, reason codes and via texts. See Section 4.2.2 for details of the file format.

The timetable and reference data files will be compressed using gzip. Each timetable file is given a unique name, based on the “Timetable ID” and the schema version used to format its contents. The generic format of the file names is:

Timetable Data	<TTID>_v<VERSION>.xml.gz
Timetable Reference Data	<TTID>_ref_v<VERSION>.xml.gz

where <TTID> is the Timetable ID and <VERSION> is the schema version in the file

A Timetable ID is used to identify the currently available timetable files. Timetable IDs have a date-time format “YYYYMMDDHHMMSS”. Schema versions are numeric, i.e. “8”. Multiple issues of the timetable files may be present in the S3 bucket. These will correspond to separate Timetable ID date-times. A client should either use the exact Timetable ID notified in a Push Port message, or use the latest Timetable ID available.

The method for obtaining the Timetable ID value varies slightly according the communications interface in use. See reference [Ref. 2] and reference [Ref. 3] for more details.

4.1 Timetable Files available from Amazon S3

A client that has Internet access may access timetable files from the Amazon S3 service, using HTTP file download.

Documentation for the Amazon S3 service can be found at <https://aws.amazon.com/documentation/s3/>.

Accessing the files requires that the client's IP address is white-listed. If access to the S3 timetable files is required, then the client should explicitly request this when they request a Push Port connection and identify the IP address from which they will be downloading the files.

The URL for a timetable file has the following format:

```
http://darwin.xmltimetable.s3-eu-west-1.amazonaws.com/PPTimetable/<TTFILE>
```

where <TTFILE> is the name of the timetable file, as documented above.

Additionally, it is possible to list the contents of this S3 "bucket", using the following HTTP request:

```
http://darwin.xmltimetable.s3-eu-west-1.amazonaws.com/
```

This request will return an XML document, similar to the example fragment below:

```
<ListBucketResult xmlns="http://s3.amazonaws.com/doc/2006-03-01/">
  <Name>darwin.xmltimetable</Name>
  <Prefix/>
  <Marker/>
  <MaxKeys>1000</MaxKeys>
  <IsTruncated>false</IsTruncated>
  <Contents>
    <Key>PPTimetable/20170115020749_ref_v1.xml.gz</Key>
    <LastModified>2017-01-15T02:14:33.000Z</LastModified>
    <ETag>"b2afd40f4aaae955030e160ac0483a45"</ETag>
    <Size>202382</Size>
    <StorageClass>STANDARD</StorageClass>
  </Contents>
  <Contents>
    ...
```

The highlighted Key can be appended to the base URL to give the full path to the downloadable file.

Note that only files that are in the PPTimetable sub-directory are valid timetable files. Any other files should be ignored.

Clients that are connected to a Darwin pre-production system should note that separate URLs are available for these systems, but otherwise access to pre-production timetable files is just the same. The exact URLs can be obtained when access to the pre-production system is granted.

4.2 Timetable File Formats

The Timetable and reference data files provide:

1. A list of schedules known to Darwin at the time the timetable was built.

2. A table to translate station representations (held as CRS codes and TIPLOCs) to plain English.
3. A table to translate TOC codes to plain English.
4. A table to translate late running reason codes and cancellation reason codes to plain English.
5. A table to allow the client to append “via” text to the destination of a train.
6. A table to translate Darwin CIS Instance codes to display strings.

Further details of these timetable data files are given below.

4.2.1 Timetable Data

The example timetable schedule below shows a single journey from Manchester Airport to Sheffield with an associated journey (not shown) at Manchester Piccadilly.

```
<?xml version="1.0" encoding="utf-8"?>
<PportTimetable xmlns="http://www.thalesgroup.com/rtti/XmlTimetable/v8"
  timetableID="20140619030427">
  <Journey rid="201406190276527" uid="C75596" ssid="2014-06-19" trainId="1B72" toc="TP">
    <OR tpl="MNCRIAP" act="TB" wtd="10:00:00" ptd="09:59"/>
    <IP tpl="MNCRPIC" act="T " wta="10:13:00" wtd="10:19:00" pta="10:13" ptd="10:19"/>
    <PP tpl="ARDWCKJ" wtp="10:21:00"/>
    <IP tpl="STKP" act="T " wta="10:29:00" wtd="10:29:30" pta="10:29" ptd="10:29"/>
    <DT tpl="SHEFFLD" act="TF" wta="11:07:00" pta="11:08"/>
  </Journey>
  <Association tpl="MNCRPIC" cat="VV">
    <main rid="20140619030427" wta="10:13:00" wtd="10:19:00" pta="10:13" ptd="10:19"/>
    <assoc rid="201406190304499" wtd="10:25:00" ptd="10:25"/>
  </Association>
</PportTimetable>
```

Multiple versions of the timetable data schema are supported from Version 4, however, from the Darin Evolution release only the latest version is produced and older versions have been withdrawn.

The latest schema versions can be found in section 6.1. Clients may use any supported version, according to their needs, but are recommended to upgrade to the latest version when the opportunity presents itself.

4.2.1.1 Q Trains

The Push Port XML timetable supports services that run “as required” (Q Trains). Q Trains are journeys that are in the timetable, but are not scheduled to run. Darwin treats these trains as non-existent until they are activated, either by an explicit activation request, or a movement or forecast report. Once a Q Train becomes active, the schedule is sent out to Push Port clients and updates happen from then on as for any other journey. Darwin will not automatically activate a Q Train until an external update is received for it.

These journeys are also provided to subscribers to the Push Ports XML timetable. So that clients can differentiate these particular journeys, a boolean attribute is set true (qtrain) to indicate that this journey is not scheduled to run.

For example:

```
<?xml version="1.0" encoding="utf-8"?>
<PportTimetable xmlns="http://www.thalesgroup.com/rtti/XmlTimetable/v8"
  timetableID="20140619030427">
  <Journey rid="201406190276127" uid="Q00001" ssd="2014-06-19" trainId="1Q11" toc="NW"
    qtrain="true">
    <OR tpl="MNCRPIC" wtd="10:00:00" ptd="09:59" act="TB"/>
    <DT tpl="OLDHAMW" wta="10:13:00" pta="10:15" act="TF"/>
  </Journey>
</PportTimetable>
```

4.2.2 Timetable Reference Data

The TIPLOC reference data provides additional information for the locations listed in the timetable data file, including information on the mapping between TOC codes and the full English name.

Also provided is a list of the reason codes and their associated text, for both late running reasons and cancellations.

Next is a list of via texts and their criteria for invocation. Note that the sequence of "Via" statements is significant, with the most significant entries supplied first.

Following is a list of CIS Source code to name mappings is provided. These map the forecast source instance code values used in forecast updates to displayable strings.

Finally, service loading reference information is provided as referenced from 3.3.6 Service Loading.

4.2.2.1 Example Reference Data

```
<?xml version="1.0" encoding="utf-8"?>
<PportTimetableRef
  xmlns="http://www.thalesgroup.com/rtti/XmlTimetable/v4/rttiCTTReferenceSchema.xsd"
  timetableId="20050121105940">
  <LocationRef tpl="MNCROXR" crs="MCO" toc="NW" name="Manchester Oxford Road"/>
  <LocationRef tpl="MNCRPIC" crs="MAN" toc="RT" name="Manchester Piccadilly"/>
  <LocationRef tpl="MOSSLEY" crs="MSL" toc="NW" name="Mossley"/>
  <LocationRef tpl="OLDHAMW" crs="OLM" toc="NW" name="Oldham Mumps"/>
  <TocRef toc="NW" name="First North Western" url="http://www.url.com" />
  <TocRef toc="RT" name="Network Rail" url="http://www.url.com" />
  <LateRunningReasons>
    <Reason code="1" reasontext="This train is delayed due to a problem"/>
  </LateRunningReasons>
  <CancellationReasons>
    <Reason code="1" reasontext="This train has been cancelled due to a problem"/>
  </CancellationReasons>
  <CISSource code="TH01" name="Southeastern"/>
  <CISSource code="AM01" name="Southern Metropolitan"/>
  <CISSource code="LI01" name="York" />
  <LoadingCategories>
    <category Code="A" Name="CategoryA" Toc="" />
    <ExpectedDescription There is expected to be some seats available
  </ExpectedDescription>
```

```
<Definition>Some seats available </Definition>
<Colour>#FF000008</Colour>
<Image>IMG_A.png</Image>
</category>
</LoadingCategories>
</PportTimetableRef>
```

5. EXAMPLE DARWIN RESPONSES

5.1 Darwin Responses

Due to the volume of data to be transmitted, the data provided by Darwin has historically been structured to minimise bandwidth. This has led to the use of abbreviations in the choice of some tag and attribute names.

All messages are time-stamped on transmission with the current time (i.e. the time taken from Darwin's internal clock). The messages conform to the W3C XML definitions.

There is no indication of GMT/BST in the data provided. This is intentional as it is not possible to reliably establish whether the data flowing into Darwin is GMT or BST. Times should be assumed to be local time.

5.1.1 Darwin Data Response Common Parts

All Darwin data responses are wrapped in a **<Pport>** element. This element includes a timestamp, the version of the schema used on the server and the required namespace directive. An example is provided here:

```
<?xml version="1.0" encoding="UTF-8"?>
<Pport ts="2010-05-21T11:00:37" version="11.0" xmlns="http://www.thalesgroup.com/rtti/PushPort/v11">
```

The version attribute will be set to the version number in the schema definition (see section 6.1) and the ts (timestamp) will be set to the local time on the Darwin system.

In the following examples the common attributes in **<Pport>** elements are omitted for clarity.

5.1.2 Snapshots

Snapshots will provide the following data:

- Schedule Information ('schedule')
- Association information ("association")
- Train Formation information ('scheduleFormations')
- Actual and Forecast Information ('TS')
- Train Loading information ('formationLoading')
- Table Suppression and Station Messages ('OW')
- Train order information ("trainOrder")
- Train Alert Messages ("trainAlert")
- Alarms ('alarm')
- Station Information ('stationInformation')

Snapshots use the same XML format as updates (see below). Snapshots are

presented in a collated form using the <sR> element in place of the <uR> element.

5.1.3 Updates

Updates will provide the following data:

- Schedule Information ('schedule')
- Deactivation ('deactivated')
- Association information ('association')
- Train Formation information ('scheduleFormations')
- Actual and Forecast Information ('TS')
- Train Loading information ('formationLoading')
- Table Suppression and Station Messages ('OW')
- Train order information ('trainOrder')
- Train Alert Messages ('trainAlert')
- Tracking ID changes ('trackingID')
- Alarms ('alarm')
- Station Information ('stationInformation')

5.1.3.1 Schedule Information ('Schedule')

An example of a schedule is as follows:

```
<Pport xmlns:sch="http://www.thalesgroup.com/rtti/PushPort/Schedules/v3">
  <uR updateOrigin="CIS" requestSource="CIS1" requestID="X12345678">
    <schedule rid="20030626001234" uid="C09014" trainId="9X99" rsid="NW123400" ssd="2003-06-26" toc="NW"
      status="P" trainCat="OO" >
      <sch:OR tpl="MNCRPIC" act="TB" fid="20030626001234-001" ptd="12:00" wtd="12:01" fd="CREWE" />
      <sch:PP tpl="ARDWCKJ" act=" " fid="20030626001234-001" wtp="12:02"/>
      <sch:IP tpl="STKP" act="T" fid="20030626001234-001" pta="12:15" ptd="12:15" wta="12:15" wtd="12:15"/>
      <sch:IP tpl="CREWE" act="T" fid="20030626001234-002" pta="12:30" ptd="12:31" wta="12:30"
        wtd="12:31:30"/>
      <sch:IP tpl="SBCH" act="T" fid="20030626001234-002" pta="12:40" ptd="12:45" wta="12:40" wtd="12:45"
        can="true"/>
      <sch:DT tpl="CHSTR" act="TF" fid="20030626001234-002" pta="13:00" wta="13:00"/>
    </schedule>
  </uR>
</Pport>
```

5.1.3.2 Train Formations and Train Loading

An example of Train Formation data followed by some Train Loading data is given below. Note that the train joins with another train, giving two different formations along its calling pattern. The actual locations where these formations apply are indicated in a separate schedule update, where each location will reference the actual formation ID ("fid") that applies at that point.

```
<Pport xmlns:fm="http://www.thalesgroup.com/rtti/PushPort/Formations/v1"
  xmlns:fm2="http://www.thalesgroup.com/rtti/PushPort/Formations/v2" >
  <uR updateOrigin="CIS" requestSource="CIS1" requestID="X12345678">
    <scheduleFormations rid="20030626001234">
      <fm2:formation fid="20030626001234-001" src="CIS" srcInst="CIS1">
```

```

<fm2:coaches>
  <fm2:coach coachNumber="A" coachClass="Standard">
    <fm2:toilet status="NotInService">Accessible</fm2:toilet>
  </fm2:coach>
  <fm2:coach coachNumber="B" coachClass="Standard"/>
  <fm2:coach coachNumber="C" coachClass="Standard"/>
</fm2:coaches>
</fm2:formation>
<fm2:formation fid="20030626001234-002" src="CIS" srcInst="CIS2">
  <fm2:coaches>
    <fm2:coach coachNumber="A" coachClass="Standard"/>
    <fm2:coach coachNumber="B" coachClass="Standard"/>
    <fm2:coach coachNumber="C" coachClass="Standard"/>
    <fm2:coach coachNumber="D" />
    <fm2:coach coachNumber="E" />
  </fm2:coaches>
</fm2:formation>
</scheduleFormations>
<formationLoading fid="20030626001234-001" rid="20030626001234" tpl="MNCRPIC" wtd="12:01" ptd="12:00">
  <fm:loading coachNumber="A" src="CIS" srcInst="CIS1">20</fm:loading>
  <fm:loading coachNumber="B" src="CIS" srcInst="CIS1">30</fm:loading>
  <fm:loading coachNumber="C" src="CIS" srcInst="CIS1">30</fm:loading>
</formationLoading>
<formationLoading fid="20030626001234-001" rid="20030626001234" tpl="STKP" wta="12:15" wtd="12:15"
pta="12:15" ptd="12:15">
  <fm:loading coachNumber="A" src="CIS" srcInst="CIS1">50</fm:loading>
  <fm:loading coachNumber="B" src="CIS" srcInst="CIS1">70</fm:loading>
  <fm:loading coachNumber="C" src="CIS" srcInst="CIS1">50</fm:loading>
</formationLoading>
<formationLoading fid="20030626001234-002" rid="20030626001234" tpl="CREWE" wta="12:30" wtd="12:31:30"
pta="12:30" ptd="12:31">
  <fm:loading coachNumber="A" src="CIS" srcInst="CIS2">80</fm:loading>
  <fm:loading coachNumber="B" src="CIS" srcInst="CIS2">80</fm:loading>
  <fm:loading coachNumber="C" src="CIS" srcInst="CIS2">90</fm:loading>
  <fm:loading coachNumber="D" src="CIS" srcInst="CIS2">60</fm:loading>
  <fm:loading coachNumber="E" src="CIS" srcInst="CIS2">70</fm:loading>
</formationLoading>
</uR>
</Pport>

```

Another example showing a location being cleared of its Train Loading data:

```

<Pport xmlns:fm="http://www.thalesgroup.com/rtti/PushPort/Formations/v1">
  <uR updateOrigin="CIS" requestSource="CIS1" requestID="Y12345678">
    <formationLoading fid="20030626001234-001" rid="20030626001234" tpl="STKP" wta="12:15" wtd="12:15"
pta="12:15" ptd="12:15"/>
  </uR>
</Pport>

```

5.1.3.3 Actual and Forecast Information ('TS')

In practice, updates will generally consist of a single location with an actual time recorded followed by locations with forecast times for the rest of the journey. Earlier locations in the journey will only be sent if there is a change to report, such as Darwin receiving an actual time for a location some time after the departure actually occurred.

```

<Pport xmlns:for="http://www.thalesgroup.com/rtti/PushPort/Forecasts/v1">
  <uR requestSource="CIS1" requestID="X12345678">
    <TS rid="20030626001234">
      <for:LateReason>123</for:LateReason>
      <for:Location tpl="MNCRPIC" wtd="12:01" ptd="12:00">
        <for:dep at="12:05" src="TD"/>
        <for:plat platsrc="A" conf="true">11</for:plat>
      </for:Location>
    </TS>
  </uR>
</Pport>

```

```

    </for:Location>
    <for:Location tpl="ARDWCKJ" wtp="12:02">
      <for:pass et="12:07" src="Darwin"/>
    </for:Location>
    <for:Location tpl="CREWE " wta="12:30" wtd="12:31:30" pta="12:30" ptd="12:31">
      <for:arr et="12:33" src="Darwin"/>
      <for:dep et="12:45" etmin="12:45" src="CIS" srclnst="CIS1"/>
      <for:plat platsup="true" cisPlatsup="true" platsrc="M">4</for:plat>
    </for:Location>
    <for:Location tpl="CHSTR " wta="13:00" pta="13:00">
      <for:arr et="13:10" src="Darwin"/>
      <for:plat platsrc="P">2</for:plat>
    </for:Location>
  </TS>
</uR>
</Pport>

```

5.1.3.4 Station Messages ('OW')

An example of a station message is provided below. As noted above, the displayed text can also include paragraph elements ("

<p>

") and anchor elements ("<a>"), so the content can be quite complex as seen in the following examples:

```

<uR>
  <OW id="123" cat="Misc" sev="1">
    <Station crs="MAN" />
    <Station crs="EUS" />
    <Msg>This is a single line with a <a href="http://host.domain">link</a>.</Msg>
  </OW>
</uR>

<uR>
  <OW id="123" cat="Misc" sev="1" suppress="true">
    <Station crs="MAN" />
    <Msg><p>Line one</p><p>Line two</p></Msg>
  </OW>
</uR>

<uR>
  <OW id="123" cat="Misc" sev="1" >
    <Station crs="MAN" />
    <Msg><p>Line one</p>
    <p>Line two and a<a href="http://host.domain">link</a></p>
  </Msg>
  </OW>
</uR>

<uR>
  <OW id="123" cat="Misc" sev="1" >
    <Msg>This message is not on display.</Msg>
  </OW>
</uR>

```

5.1.3.5 Train Alert Messages ('trainAlert')

The NRCC or a TOC can send important announcements (textual information known as train alerts) out via the Push Port. These alerts can be attached to various services and individual stations within those services. The following is an example of a train alert.

```

<uR>
  <AdhocAlert>
    <AlertID>1</AlertID>
    <Services>

```

```
<Service UID="P60844" SSD="2010-05-25">
  <Location>EUS</Location>
  <Location>SOT</Location>
  <Location>MAC</Location>
  <Location>SPT</Location>
  <Location>MAN</Location>
</Service>
</Services>
<SendAlertBySMS>true</SendAlertBySMS>
<SendAlertByEmail>false</SendAlertByEmail>
<SendAlertByTwitter>false</SendAlertByTwitter>
<Source>NRCC</Source>
<AlertText>Adhoc Test Alert 1</AlertText>
<Audience>Customer</Audience>
<AlertType>Normal</AlertType>
</AdhocAlert>
</uR>
```

The Source of a train alert may be a two-character TOC code, or the string “NRCC”.

6. XML SCHEMAS

6.1 XSD Files

Due to the number of files that now constitute the whole Push Port schema, and problems that have been encountered when trying to embed a ZIP archive, the XSD files are no longer embedded within this document. The required schema files are included in a separate ZIP archive that also includes this document.

The latest schema versions are:

Schema	Version	Namespace	Filename
Data	19	http://www.hitachirail.com/rtti/PushPort/v19	rttiPPTSchema_v19.xsd
Timetable	8	http://www.thalesgroup.com/rtti/XmlTimetable/v8	rttiCTTSchema_v8.xsd
Reference Data	4	http://www.thalesgroup.com/rtti/XmlRefData/v4	rttiCTTReferenceSchema_v4.xsd

Please note: XSD documents are available to download from RDG Assist:

<https://www.rspaccreditation.org/publicDocumentation.php/RSPS5051>

Previous versions of schema's are also available in Assist via a zip file.

6.2 Schema Versioning

All the schemas belong to namespaces that include version numbers. The Push Port Service itself supports multiple simultaneous versions from version 7 of the Data Schema onwards and the namespaces are used to indicate the version required. The namespaces are also used as a defence against clients using versions of the schema incompatible with the software.

7. DATA VOLUME

The volume of real time data sent by Darwin is dependent on the number of and the size of the Darwin data sources. This is likely to increase as more data sources are added to Darwin.

Current file sizes are of the order of:

Timetable Data: 17 Mbytes

Timetable Reference Data: 280Kbytes

Assuming a 1Mbps link (using 100KB/sec), the transfer of Timetable Data should take around 3 minutes and the Timetable reference data around 3 seconds.

Snapshots sizes are dependent on when the snapshot is requested. Immediately after a Darwin overnight timetable rebuild snapshots, will be small, but later on they will increase as more trains are activated.

Note that ports filtered on a small number of TIPLOC codes will considerably reduce the data volume of both snapshots and real-time updates. However, timetables are not filtered and will always be a similar size.

8. ABBREVIATIONS AND GLOSSARY

ATOC	Association of Train Operating Companies (now RDG)
CIF	Common Interface File. The format of this file defines the format in which ITPS provides schedule information.
CRS	Computerised Reservation System. CRS codes are the primary identifiers for Stations.
DCIS	Darwin CIS. Interface between Darwin and CIS systems driving passenger displays at stations.
False Destination	A train destination. Typically used in a circular route to provide a route for the train.
Gzip	A compression tool using the DEFLATE format as defined in RFC 1951. gzip is defined in RFC 1952.
ITPS	Integrated Train Planning System (replacement source of schedule data for TSDB).
LDB	Live Departure Boards. This is the publicly available web interface to the Darwin system.
RDG	Rail Delivery Group
RID	Darwin generated ID. A unique ID held within the Darwin database to identify a journey.
RTTI	Real Time Train Information – database of train running information. Previous name for Darwin.
Snapshot	There are two types of snapshot: 1. Standard Snapshot: information for all train journeys in the Darwin database that are in progress or have yet to commence. 2. Full Snapshots: includes information for all journeys in the Darwin database since the last timetable rebuild. I.e. includes the standard snapshot plus historic schedule information. Snapshot data is defined in Section 3.2.
TIPLOC	Timing Point Location. TIPLOCs are the primary identifiers for schedule locations. They may be stations or junctions/other operational locations.
TOC	Train Operating Company
TSDB	Train Services Database (now superseded by ITPS).
Updates	Darwin provides update information to the Client when this information becomes known to Darwin. Update data is defined in Section 3.3.
UID	Unique Identifier. (However, the UID is not always unique within the Darwin database)

END OF DOCUMENT